

WEST Search History

09/817,003

Att #12

DATE: Wednesday, May 07, 2003

| <u>Set Name</u> side by side | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> result set |
|--|------------------------------|------------------|-------------------------------|
| <i>DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ</i> | | | |
| L13 | l4 with l10 with L11 with l1 | 1 | L13 |
| L12 | l4 with l10 with L11 | 139 | L12 |
| L11 | librar\$ | 90292 | L11 |
| L10 | fragment\$ | 1693273 | L10 |
| L9 | l4 same L7 | 288 | L9 |
| L8 | l4 with L7 | 48 | L8 |
| L7 | gelatin | 122578 | L7 |
| L6 | l1 same L4 | 286 | L6 |
| L5 | l1 with L4 | 103 | L5 |
| L4 | l2 or L3 | 42340 | L4 |
| L3 | transfect\$ | 42316 | L3 |
| L2 | tranfect\$ | 703 | L2 |
| L1 | array | 554657 | L1 |

END OF SEARCH HISTORY

Print Selection

Help

Clear

Cancel

Print

Print First Page

| Select? | Document ID | Section(s) | Page(s) | # Pages to print | Database |
|-------------------------------------|---------------|------------|---------|------------------|--------------------------|
| <input checked="" type="checkbox"/> | 20020086424 | all | all | 22 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 6372425 | all | all | 17 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5989814 | all | all | 32 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5753432 | all | all | 41 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 6287862 | all | all | * 92 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | US5989814A | all | all | N/A | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | WO009818947A1 | all | all | N/A | USPT,PGPB,JPAB,EPAB,DWPI |

Note: Print requests for more than 49 pages are denoted by '*' and are in red.

Building

Room

Printer

cm1

11e14

gbldptr

Main Menu

Logout

WEST

Print Selection

| Select? | Document ID | Section(s) | Page(s) | # Pages to print | Database |
|-------------------------------------|-------------|------------|---------|------------------|--------------------------|
| <input checked="" type="checkbox"/> | 20030083477 | all | all | 7 | USPT,PGPB,JPAB,EPAB,DWPI |

Building Room Printer

Print Selection

Help

Clear

Cancel

Print

Print First Page

| Select? | Document ID | Section(s) | Page(s) | # Pages to print | Database |
|-------------------------------------|-------------|------------|---------|------------------|--------------------------|
| <input checked="" type="checkbox"/> | 6468476 | all | all | * 64 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 6391549 | all | all | 20 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 6368838 | all | all | 17 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5854224 | all | all | 10 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | WO9955886A | all | all | N/A | USPT,PGPB,JPAB,EPAB,DWPI |

Note: Print requests for more than 49 pages are denoted by '*' and are in red.

Building

Room

Printer

cm1

11e14

gbldptr

Main Menu

Logout